

P.O. BOX 265
OGDENSBURG, NY
U.S.A. 13669-0265
TEL: (315) 472-5270
FAX: (613) 226-2802

TEL: 1-800-265-6681
FAX: 1-800-561-1970


e-mail: info@avtechpulse.com
<http://www.avtechpulse.com/>

BOX 5120, LCD MERIVALE
OTTAWA, ONTARIO
CANADA K2C 3H4
TEL: (613) 226-5772
FAX: (613) 226-2802

PERFORMANCE CHECKSHEET

Model: AVOZ-A4-B-N-EA
S.N.: 11192
Date: May 17, 2005


Minimum Pulse Width Test



17 May 2005
13:15:49

5 kHz, 100 ns, -100V into the AV-CTL1-ENC test load.
50 V/div, 100 ns/div

Maximum Pulse Width Test



17 May 2005
13:08:38

100 Hz, 5 us, -100V into the AV-CTL1-ENC test load.
50 V/div, 1 us/div

References levels: 20%, 80%.

- a) Output Signal Amplitude: 0 to -100V, to $R_L \geq 1\Omega$ (i.e., -100A maximum)
- b) Pulse Width (FWHM): 100 ns – 5 us, 0.1% maximum duty cycle
- c) Rise Time (20%-80%): < 40 ns
- d) Fall Time (80%-20%): < 30 ns
- e) PRF: 1 Hz - 10 kHz
- f) Jitter, Stability: OK
- g) Prime Power: 100-240V AC, 50-60 Hz.