



AVTECH ELECTROSYSTEMS LTD.

NANOSECOND WAVEFORM ELECTRONICS
SINCE 1975

P.O. BOX 265
OGDENSBURG, NY
U.S.A. 13669-0265

TEL: 888-670-8729 (USA & Canada) or +1-613-686-6675 (Intl)
FAX: 800-561-1970 (USA & Canada) or +1-613-686-6679 (Intl)

BOX 5120, LCD MERIVALE
OTTAWA, ONTARIO
CANADA K2C 3H4

info@avtechpulse.com - http://www.avtechpulse.com/

PERFORMANCE CHECKSHEET

Model: AVR-D2-B
Type: MIL-S-19500 Pulse Generator
S.N.: 12650
Date: May 31, 2011


Output Amplitude: up to $\pm 30V$, to 50Ω
Pulse Width (FWHM): 2 ns , 200 ns – 20 μs
Rise Time (10%-90%): ≤ 1.5 ns
Fall Time (90%-10%): ≤ 2.0 ns, ≤ 2.5 ns
PRF: 1 Hz – 50 kHz
Jitter, Stability: OK
Prime Power: 100-240V AC, 50-60 Hz.

Basic specifications: →

Test Waveforms


Full pulse at 10 kHz, 200 ns, +30V,

5 ns/div. 10 V/div (100 mV \times 40 dB):




Leading edge at 10 kHz, 200 ns, +30V,

5 ns/div. 10 V/div (100 mV \times 40 dB):




Trailing edge at 10 kHz, 200 ns, +30V,

5 ns/div. 10 V/div (100 mV × 40 dB):




Full pulse at 1 kHz, 10 us, +30V,

2 us/div. 10 V/div (100 mV × 40 dB):




Full pulse at 10 kHz, 200 ns, -30V,

50 ns/div. 10 V/div (100 mV × 40 dB):




Leading edge at 10 kHz, 200 ns, -30V,

5 ns/div. 10 V/div (100 mV × 40 dB):




Trailing edge at 10 kHz, 200 ns, -30V,

5 ns/div. 10 V/div (100 mV × 40 dB):




Full pulse at 1 kHz, 10 us, -30V,

2 us/div. 10 V/div (100 mV × 40 dB):




Full pulse at 10 kHz, 15 ns, +2V,


5 ns/div. 1 V/div (100 mV × 20 dB):



Full pulse at 10 kHz, 15 ns, -2V,

5 ns/div. 1 V/div (100 mV × 20 dB):





With an AVX-FILT-10NS and an AVX-TFR-MIX attached to the AVR-D2-B.

Top: AVX-TFR-MIX MON out, showing the +25.2V input pulse. Attenuated by a factor of 10.

Bottom: AVX-TFR-MIX OUT, showing a peak V_{FR} of 0.750V, and a steady-state V_F of 0.42V for a forward current of $25V / 50 \text{ Ohms} = 0.5A$. Attenuated by a factor of 10.

DUT used: 1N5819