

INSTRUCTIONS

MODEL AV-148-MITA AMPLIFIER

S.N.:

## WARRANTY

Avtech Electrosystems Ltd. warrants products of its manufacture to be free from defects in material and workmanship under conditions of normal use. If, within one year after delivery to the original owner, and after prepaid return by the original owner, this Avtech product is found to be defective, Avtech shall at its option repair or replace said defective item. This warranty does not apply to units which have been disassembled, modified or subjected to conditions exceeding the applicable specifications or ratings. This warranty is the extent of the obligation assumed by Avtech with respect to this product and no other warranty or guarantee is either expressed or implied.

## TECHNICAL SUPPORT

Phone: 613-226-5772 or 1-800-265-6681

Fax: 613-226-2802 or 1-800-561-1970

E-mail: [info@avtechpulse.com](mailto:info@avtechpulse.com)

World Wide Web: <http://www.avtechpulse.com>



## TABLE OF CONTENTS

WARRANTY.....	
TABLE OF CONTENTS.....	
FIG. 1: GENERAL TEST ARRANGEMENT.....	
GENERAL OPERATING INSTRUCTIONS.....	
PERFORMANCE CHECK SHEET.....	

FIG. 1: GENERAL TEST ARRANGEMENT

## GENERAL OPERATING INSTRUCTIONS

- 1) Take care to insure that the peak to peak input amplitude does not exceed 1 Volt.
- 2) The input frequency must not exceed 100 MHz.
- 3) The peak to peak output amplitude will be in the range of 2 to 5 Volts for an input amplitude of 10 mV to 1 Volt.

PERFORMANCE CHECK SHEET

